

EXAMPLE #2
DECK - PLAN VIEW

CHECKED:	DRAWN:
DRW	SNS




TRANSPORTATION, ENGINEERING AND DEVELOPMENT
BUSINESS GROUP
400 S. EAGLE NAPERVILLE, ILLINOIS 60540

SCALE:	DATE:
NTS	11/01/2007

PLAT OF SURVEY

LOT __ IN BLOCK __ IN __ AT NAPERVILLE UNIT __, BEING A SUBDIVISION OF PART OF THE
 ____ QUARTER OF SECTION __, TOWNSHIP __ NORTH, RANGE __ EAST OF THE THIRD
 PRINCIPAL MERIDIAN ACCORDING TO THE PLAT THEREOF RECORDED ____, __ AS
 DOCUMENT NO. R __-__ IN ____ COUNTY, ILLINOIS.



- GENERAL NOTES:**
1. MUST SHOW PROPOSED DECK OR PATIO DRAWN TO SCALE SHOWING WHERE IT WILL BE PLACED ON THE LOT.
 2. MUST INCLUDE LEGAL DESCRIPTION OF THE LOT.
 3. MUST SHOW LOCATION OF ELECTRIC METER, ELECTRIC PEDESTAL OR POLE, ELECTRIC LINE AND ANY OTHER UTILITIES LOCATED NEAR OR UNDER THE PROPOSED DECK.
 4. MUST SHOW ALL ESCAPE WINDOWS OR OTHER WINDOWS IN DECK AREA.
 5. MUST SHOW ALL EXISTING ACCESSORY STRUCTURES TO SCALE WITH DISTANCES BETWEEN STRUCTURES.
 6. MAY SHOW ANY POSSIBLE STRUCTURES TAHT MAY BE ADDED TO THE DECK IN THE FUTURE.



CALL J.J.J.E.
 BEFORE EXCAVATING
 1-800-892-0123

EXAMPLE #3
 SAMPLE PLAT OF SURVEY

CHECKED: DRAWN:

DRW SNS


SCALE: DATE:

NTS


11/01/2007



TRANSPORTATION, ENGINEERING AND DEVELOPMENT
 BUSINESS GROUP
 400 S. EAGLE NAPERVILLE, ILLINOIS 60540



A. FIREPLACE FRAMING DETAIL



B. BAY WINDOW FRAMING DETAIL

H:\DATA\SHARED\TED_STANDARD_DETAILS\DECK_DETAILS\EXAMPLE4.DWG

EXAMPLE #4
FRAMING DETAILS

CHECKED: DRAWN:

DRW SNS

SCALE:

DATE:

NTS

11/01/2007




Naperville

TRANSPORTATION, ENGINEERING AND DEVELOPMENT
BUSINESS GROUP

400 S. EAGLE NAPERVILLE, ILLINOIS 60540

H:\DATA\SHARED\TED STANDARD DETAILS\DECK DETAILS\EXAMPLE5A.DWG



EXAMPLE #5A
STAIR DETAIL - VIEW 1

CHECKED: DRAWN:

DRW SNS




TRANSPORTATION, ENGINEERING AND DEVELOPMENT
BUSINESS GROUP
400 S. EAGLE NAPERVILLE, ILLINOIS 60540

SCALE:

DATE:

NTS

11/01/2007



HANDRAIL
34"–38" ABOVE NOSING OF THREADS

FOR STAIRS WITH A TOTAL RISE OF MORE THAN
30", OPEN RISER SHALL NOT PERMIT THE
PASSAGE OF A 4-INCH DIAMETER SPHERE

IF A HANDRAIL IS REQUIRED, THE CIRCULAR
CROSS-SECTION (DIAMETER) SHALL BE A
MINIMUM OF 1 ¼" AND A MAXIMUM OF 2"

EXAMPLE #5B
STAIR DETAIL – VIEW 2

CHECKED: DRAWN:

DRW SNS

SCALE:

DATE:

NTS

11/01/2007




Naperville

TRANSPORTATION, ENGINEERING AND DEVELOPMENT
BUSINESS GROUP

400 S. EAGLE NAPERVILLE, ILLINOIS 60540

Min. Dimension $1\frac{1}{4}$ "


Max. Dimension 2"



CROSS-SECTION OF
HANDRAIL ATTACHMENT

Wall or Guardrail

$1\frac{1}{2}$ " Min. Clearance



TOP VIEW OF
HANDRAIL ATTACHMENT

EXAMPLE #5C
HANDRAIL DETAIL

CHECKED: DRAWN:

DRW

SNS

SCALE:

DATE:

NTS

11/01/2007



Naperville

TRANSPORTATION, ENGINEERING AND DEVELOPMENT
BUSINESS GROUP

400 S. EAGLE NAPERVILLE, ILLINOIS 60540